

Computational design of advanced nanoalloy materials for catalysis and beyond


Konstantin M. Neyman

ICREA (Institució Catalana de Recerca i Estudis Avançats), 08010 Barcelona, Spain
Departament de Ciència dels Materials i Química Física, Universitat de Barcelona, c/ Martí i
Franquès 1, 08028 Barcelona, Spain

www.icrea.cat/Web/ScientificStaff/Konstantin-M-Neyman-292
konstantin.neyman@icrea.cat

Metal particles are key components of many functional materials, including catalysts. Nevertheless, insufficiently versatile properties of monometallic particles limit their usage and mixed-metal particles (nanoalloys) often become systems of choice for a given application. However, it is very challenging to determine the atomically resolved structure (chemical ordering) of nanoalloys, which is required for rationalizing their reactivity and related properties. We developed a method [1,2] to optimize chemical ordering in nanoalloys of different metals using density-functional calculations. The method allows predicting energetically stable structures of crystalline nanoalloys with thousands of atoms, which can be then manufactured on the knowledge-driven basis.

I will outline the method and illustrate results of its applications to nanoalloys of Pd [1,2], Pt [3-5] and Ni [6] with *d*- and *s,p*-metals. A special case of bimetallic catalysts exposing surface sites composed of single atoms of an active metal surrounded by atoms of the second metal will be briefly addressed. Efficiency of our method opens an opportunity to systematically model nanoalloys of various metals spanning the Periodic Table. Applications of the method are able to accelerate design of tailor-made nanoalloys and deepen understanding of the bonding in nanoalloys.



- [1] S.M. Kozlov, G. Kovács, R. Ferrando, K.M. Neyman. How to determine accurate chemical ordering in several nanometer large bimetallic crystallites from electronic structure calculations. *Chem. Sci.* 6 (2015) 3868
- [2] G. Kovács, S.M. Kozlov, K.M. Neyman. Versatile optimization of chemical ordering in bimetallic nanoparticles. *J. Phys. Chem. C* 121 (2017) 10803
- [3] G. Kovács, S.M. Kozlov, I. Matolínová, M. Vorokhta, V. Matolín, K.M. Neyman. Revealing chemical ordering in Pt-Co nanoparticles using electronic structure calculations and X-ray photoelectron spectroscopy. *Phys. Chem. Chem. Phys.* 17 (2015) 28298
- [4] M. Vorokhta, I. Khalakhan, M. Václavu, G. Kovács, S.M. Kozlov, P. Kúš, T. Skála, N. Tsud, J. Lavková, V. Potin, I. Matolínová, K.M. Neyman, V. Matolín. Surface composition of magnetron sputtered Pt-Co thin film catalyst for proton exchange membrane fuel cells. *Appl. Surf. Sci.* 365 (2016) 245
- [5] A. Neitzel, G. Kovács, Y. Lykhach, S.M. Kozlov, N. Tsud, T. Skála, M. Vorokhta, V. Matolín, K.M. Neyman, J. Libuda. Atomic ordering and Sn segregation in Pt-Sn nanoalloys supported on CeO₂ thin films. *Top. Catal.* 60 (2017) 522
- [6] A. Wolfbeisser, G. Kovács, S.M. Kozlov, K. Föttinger, J. Bernardi, B. Klötzer, K.M. Neyman, G. Rupprechter. Surface composition changes of CuNi-ZrO₂ catalysts during methane decomposition. *Catal. Today* 283 (2017) 134